

Sunell, Your Reliable Partner





Shenzhen Sunell Technology Corporation

3-4F, Bldg.6, Pingshan Science and Technology Park, Taoyuan Street, Nanshan District, Shenzhen, China. 518055 Tel: + 86(755) 2675 4336 Fax: +86(755) 8602 6152 E-mail: sales@sunellsecurity.com

Copyright © Shenzhen Sunell Technology Corporation 2019. All rights reserved. The specifications and descriptions of products and services contained in this catalogue were correct at the time of publishing. Inner Range reserves the right to change specifications or withdraw products without notice.

www.sunellsecurity.com




Industry Background

Infectious Diseases Serious Events

Body Temperature Measure System

Temperature Measure and Face Recognition System



www.sunellsecurity.com

- Quick determination of the over temperatured target





System Functions

Online monitoring for rapid temperature measurement

- Simultaneous detection of up to 8 targets, at 20 fps
- Efficient temperature measurement




Archives Management

- Data management
- Batch import/export
- Self-learning algorithm, face library regular update

Multilevel Distribution Architecture

- 3 levels distribution deployment
- Servers and Clients management based on different project scale



Health Archives Management

- Temperature data
- Data structuring
- Health archives
- Health status
- Tips


Mobile APP

- Real-time health data monitoring
- Health data statistics ,user receives health report



Data Statistics Report

Statistic reports and analysis according to Age/Gender/ Time/Type and illness/Location







Pre Warning Management

• Face recognition intelligent technology works in combination with temperature measurement technology, camera provides the lock of the overtemperature target solving a problem when overtemperature target information cannot be confirmed immediately, at the same time camera provides materials for a further supervision and sends a report





Applications



School

Airport

System Management

System status monitoring, system configuration, operation log, abnormal log, debug information etc.

Default Domain CARL 192,198,507 Mino, 127,503 Mino, 127,503	Server Name (346) 155.188.53.07 Bunding State Online Log Type: Serve Performance: Oxfore State (30)			
	01td	-		us
		Mt(10) 108507 (ML Nor R. Annual (1070)	Other 145 Remain 10	





Teaching Note of the second seco

Custom

Hospital

